

FANTIC



F MOSER



Fantic	06
Fantic philosophy	08
FMOSER	10
FMOSER philosophy	12
Overview	14
E-MTB Light	17
E-MTB Trail	25
E-MTB All Mountain	35
E-MTB Enduro	41
E-MTB Downhill	49
E-MTB Hardtail	53
Issimo e Trekking	57
FMOSER	69
Specifications	89



Fantic is a
brand with
more than
50 years
of history.

We design, engineer
and assemble
high-performance
electric bikes, with a
view to enhancing our
customers' experience.
We focus on **design
& technology** without
compromise. We are
a powerful e-motion.



Fantic philosophy

01

Mileage

Fantic designs its **E-bikes** with a view to ensuring the **best performance of the battery and electric motor**. New integrated 720Wh BATTERY / compact 369mm 40-cell battery. We have introduced a dedicated management system to optimize battery consumption.

02

Handling

Riding a **Fantic E-Bikes** has **never been so easy**, even on the hardest single-track and enduro tracks. Our E-MTBs are built to have: short integrated battery (only 369mm vs 400mm of the competition) and reduce the yaw inertia and lowers the center of gravity, easy change of direction. **Optimized Motor & Battery layout**. Powertrain at the center of the bike enhancing weight distribution & lowering yaw inertia. Wheel 29 to safely overcome bigger obstacles and reduced gyro effect to further improve easy change of direction **advanced hydroforming for high stiffness of the frame**, rigid rear triangle achieved through forged cantilever, oversized bearings, single pivot configuration and oversized chain stays. FEM analyzed optimized top, down & steering tubes and junctions. Rigid front triangle for predictable handling.

08



Control



Handling



Exclusivity



Mileage

*The bike in the photo refers to the **XEF 1.9 Carbon Team Replica** model.



Exclusivity

UX design & Engineering **made in Italy**. All **E-Bikes** (Frames, Group sets & Powertrains) fully designed, engineered & assembled in Europe (Italy & Germany). **Exclusive new 720 Wh battery designed by Fantic**. Based on over 50 years of expertise, engineering & Italian design, **Fantic** bikes provide the end-consumer with the best experience available on the market. Battery upper release. Prevents: having a dirty battery, hitting the ground when releasing it or having to put the bike upside down to remove it.

03

Control

The rear suspension linkage features **FPS (Fantic Progression System)**, to ensure excellent grip performance on any terrain. In collaboration with Acerbis, our R&D department has designed and developed an **'injected composite'** rear chainstay strut. This novel technology not only allows the brace to perform and respond better and more quickly on uneven terrains compared to other materials, but also instantly gives it a new look. This innovative technology is applied to the Trail Alu, and will be applied to the All-Mountain, Enduro and DH segments in the future. Our engineers carefully select the motors we use to offer **the best torque even at a low pedalling frequency** (between 60-90 pedal strokes per minute), up to a maximum torque of 120 Nm (*). The combined 29/27.5-inch wheels, the result of **Fantic's** expertise in the motorcycle industry, delivers unrivalled control. (*) In the **ISSIMO 45** model.

09





Your road,
your choice.

10

A dynasty of legendary cyclists, where the bicycle is a way of life.

From the **World Road World Championship in 1977** to the **Hour Record in Mexico City in 1984**, Francesco Moser's life has been a constant race, marked by as many sacrifices as triumphs, and always in pursuit of new personal and technological achievements.

**His vision is at the
heart of our work.**

"Opening new roads has always seemed to be my destiny, right from the start."

Francesco Moser



Scan the
QR-Code.
Watch
the video.



11



FMOSER Philososhy



Scan the
QR-Code.
Watch
the video.

Competence, passion, ambition, and courage are essential ingredients in the development of an innovative product.

Francesco's challenges and triumphs inspired our bicycle, which is the result of his expertise and vision.



03

Dual Mode System

The Dual Mode System allows you to switch bike configuration in less than five minutes.

With our patented system, you can quickly and easily remove the battery and replace the motorized wheel with a normal one.

04

Wireless shift

The wireless electronic shift is smoother, faster and more precise than a traditional gearshift.



Electric configuration



Switch



Traditional configuration



Scan the
QR-Code.
Watch the
tutorials.

Kit



Wheel + motor rear hub



Wheel



Battery

01

Frame set-up

Endurance for increased comfort.

The feeling is of a stable bike with a more relaxed riding position, ideal for long distances. This is the result of a geometrical design with a more open steering angle and longer wheelbase, combined with compact chainstays, to maintain responsiveness.

02

Drive unit

FSA HM1 Hub Motor with 42 Nm torque and a battery capacity of 250 Wh. The motor has five levels of assistance.

A remote control integrated into the top tube, an easily accessible charging port above the bottom bracket, and an additional 250 Wh battery that can be placed in the bottle cage round out the system.

Your road, your choice.





E-MTB Light Pag. 17



Rampage 1.4 Limited Edition Rampage 1.4 Factory Rampage 1.4 Race Rampage 1.4 Sport



E-MTB Downhill Pag. 49



XXF 2.0 Factory XXF 2.0 Race



E-MTB Hard Tail Pag. 53



Fat Sport Integra XF2



E-MTB Trail Pag. 25



XTF 1.6 Carbon Factory XTF 1.6 Carbon Race XTF 1.6 Carbon Sport XTF 1.5 Carbon



Issimo e Trekking Pag. 57



Issimo Fun Issimo Urban Issimo 45

14



XTF 1.5 Race-Y XTF 1.5 Sport-Y XTF 1.5 All Track XTF 1.5 Y



E-MTB All Mountain Pag. 35



XMF 1.7 Carbon Race XMF 1.7 Carbon Sport XMF 1.7 Race XMF 1.7



E-MTB Enduro Pag. 41



XEF 1.9 Carbon Team Replica XEF 1.9 Factory XEF 1.9 Race XEF 1.8 Sport XEF 1.9 Fantic Racing



FMOSER Pag. 69



FMOSER Road Heritage FMOSER Road Fsa FMOSER Road Red FMOSER Road Force FMOSER Road Rival



FMOSER Gravel Force FMOSER Gravel Rival FMOSER Gravel Apex

15



E-MTB Light



The **Rampage** is the perfect bike for enthusiasts riders seeking **high-performance, versatility, and lightweight engineering**.

In its **Cross-Country (XC) version (1.2)**, the aggressive riding position and light-weight frame enhance **speed and pedaling efficiency**, even on the steepest climbs.

The **Down-Country (DC) version (1.4)** features an optimized geometry for an **agile and responsive ride**, ensuring stability on technical terrain and demanding descents.


Rampage excels in **every riding condition**, combining the **agility** of a traditional MTB with the power of an e-bike when needed, thanks to the TQ motor—an invisible, ultra-quiet drive system so smooth you'll forget it's there.

Engineered with a strong focus on light-weight construction by **Fantic's** R&D team, the new **Rampage** features a **Full-Carbon** frame, bringing the top-tier build to an impressive weight of just 15.5 kg (*).

(*) Weight reference applies to the **Rampage 1.2 Factory model**.



Rampage 1.4 Limited Edition



NEW





Technical specifications

Colour: **white**

	Full-Carbon, sizes: S - M - L - XL		Sram GX Eagle AXS
	TQ HPR-50, 50 Nm		Magura MT8 PRO, 2 Pistons
	360Wh		FSA KFX Carbon - 29"
	FOX 34 FACTORY, 140mm - black		Vittoria SYERRA - 29" x 2,4
	FOX FLOAT FACTORY, 190x45mm		Selle Italia Novus Boost X-Cross Superflow
	FSA KFX UD Carbon Ø31,8 flat 760mm		Fox Transfer Factory

Control, handling, exclusivity, mileage.

Rampage 1.4 Factory



Technical specifications

Colour: **red**

	Full-Carbon, sizes: S - M - L - XL		Sram GX Eagle AXS
	TQ HPR-50, 50 Nm		Magura MT8 PRO, 2 Pistons
	360Wh		Mavic Crossmax SL S - 29"
	Suntour AXON34 LO-RC PCS Factory, 140mm		Vittoria SYERRA - 29" x 2,4
	Suntour EDGE PLUS 2CR, 190x45mm		Selle Italia Novus Boost X-Cross Superflow
	Fantic Racing Integrated Flat-17°, 780mm		RockShox Rverb AXS Ø30.9


(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.

Rampage 1.4 Race




App

Colour options:
black



Colour options:
red



Rampage 1.4 Sport



App



Technical specifications

Colour: **red**


	Full-Carbon, sizes: S - M - L - XL		Sram GX Eagle
	TQ HPR-50, 50 Nm		Magura MT SPORT, 2 Pistons
	360Wh		Mavic Crossmax SL S - 29"
	Suntour AXON34 LO-RC PCS, 140mm		Vittoria SYERRA - 29" x 2,4
	Suntour EDGE PLUS 2CR, 190x45mm		Selle Italia Model-X Superflow
	GBC Ø31,8 FLAT		Crankbrothers Highline 3 Ø30.9

Technical specifications


Colour: **black**

	Full-Carbon, sizes: S - M - L - XL		Sram SX Eagle
	TQ HPR-50, 50 Nm		Sram LEVEL, 2 Pistons
	360Wh		Radiale - 29"
	Suntour RAIDON34 LOR, 140mm		Vittoria SYERRA - 29" x 2,4
	Suntour EDGE PLUS 2CR, 190x45mm		Selle Italia Model-X Superflow
	GBC Ø31,8 FLAT		Switch SW Ø30.9


Rampage 1.2 Factory



Colour options:
red



Colour options:
black




Technical specifications

Colour: **black**

	Full-Carbon, sizes: S - M - L - XL		Sram XX SL Eagle Transmission
	TQ HPR-50, 50 Nm		Magura MT8 SL, 2 Pistons
	360Wh		Mavic Crossmax SL Ultimate - 29"
	RockShox SID Ultimate 2P, 120mm Remote lock - blue		Pirelli SCORPION ProWall XC-RC 29" x 2,2
	RockShox SIDLuxe 2P Ultimate, 190x37,5mm - remote lock - blue		Selle Italia SLR Boost Superflow
	Fantic Racing Integrated Flat 17°, 780mm		Crankbrothers Highline 11 Ø30.9 - carbon

Rampage 1.2 Race



Technical specifications

Colour: **red**

	Full-Carbon, sizes: S - M - L - XL		Sram GX Eagle Transmission
	TQ HPR-50, 50 Nm		Magura MT8 PRO, 2 Pistons
	360Wh		Mavic Crossmax SL S - 29"
	RockShox SID 2P, 120mm - remote lock		Pirelli SCORPION ProWall XC-RC 29" x 2,2
	RockShox SIDLuxe 2P, 190x37,5mm - remote lock		Selle Italia SLR Boost Superflow
	Fantic Racing Integrated Flat 17°, 780mm		Crankbrothers Highline 3 Ø30.9



E-MTB Trail



The **Trail** segment is designed for riders seeking the perfect balance between **performance, comfort, and versatility** across variable terrains.

Fantic's lineup features in-house engineered and developed frames, available in both carbon fiber and aluminum, equipped with 150mm and 160mm front suspension, making them ideal for tackling technical trails while ensuring a **smooth and controlled ride on any terrain**.

Each model is powered by **Brose S-Mag** and **Yamaha PW-X3 drive units**, delivering efficient power transfer and high torque output for demanding rides.


The flagship model of the range is the **XTF 1.6 Carbon Factory**, recognized as the lightest and most high-performance **E-MTB Trail** bike on the market. Weighing only 19.9 kg, it features a 720Wh integrated battery and a 90Nm motor, setting a new benchmark in the segment.



XTF 1.6 Carbon Factory



App



26



Technical specifications

Colour: **white**


	Carbon, sizes: S - M - L - XL		Sram XX1 Eagle AXS
	Brose S-Mag, 90 Nm		Magura MT Trail Sport 4Pistons/F, 2Pistons/R
	720Wh		FSA KFX Carbon - 29"
	RockShox Lyrik Ultimate, 160mm - green		Pirelli SCORPION ProWall Trail
	RockShox Deluxe Ultimate, 205x60mm		Selle Italia SLR Boost Superflow
	FSA KFX INTEGRATED 780mm Rise 5mm		Rock Shox Reverb AXS Ø30.9

Control, handling, exclusivity, mileage.

XTF 1.6 Carbon Race



App





27

Technical specifications

Colour: **bronze**

	Carbon, sizes: S - M - L - XL		Sram GX Eagle AXS
	Brose S-Mag, 90 Nm		Sram G2-RS 4 Pistons
	720Wh		FSA i29 Carbon - 29"
	RockShox Lyrik Select, 160mm		Pirelli SCORPION ProWall Trail
	RockShox Deluxe Select+, 205x60mm		Selle Italia Novus Boost X-Cross Superflow
	FSA KFX UD Carbon Ø31,8 flat 760mm		Switch SW Ø30.9



XTF 1.6 Carbon Sport



Technical specifications

	Carbon, sizes: S - M - L - XL		Sram GX Eagle
	Brose S-Mag, 90 Nm		Sram G2-RS 4 Pistons
	720Wh		Rodi READY27 - 29"
	RockShox Lyrik Select, 160mm		Pirelli SCORPION ProWall Trail
	RockShox Deluxe Select+, 205x60mm		Selle Italia Novus Boost Evo Superflow
	FSA Ø31,8 760mm Rise 15mm		Switch SW Ø30.9

XTF 1.5 Carbon




NEW



Technical specifications

	Carbon, sizes: S - M - L - XL		Sram NX Eagle
	Brose S-Mag, 90 Nm		Sram GUIDE-T, 4 Pistons
	720Wh		Rodi READY27 - 29"
	RockShox 35 Gold RL, 150mm		Pirelli SCORPION ProWall Trail
	RockShox Deluxe Select+, 205x60mm		Selle Italia MODEL-X Comfort Superflow
	FSA Ø31,8 760mm Rise 15mm		Switch SW Ø30.9

XTF 1.5 Race-Y



Technical specifications


- Aluminum, sizes: S - M - L
- Yamaha PW X3, 85 Nm
- 630Wh
- RockShox 35 Gold RL, 150mm
- RockShox Deluxe Select+, 205x57,5mm
- FSA Ø31,8 760mm Rise 15mm

Seatstays made of "injected composite"

- Sram GX Eagle AXS
- Sram GUIDE-T, 4 Pistons
- Rodi TRYP30
- Pirelli SCORPION ProWall Trail
- Selle Italia MODEL-X Comfort Superflow
- Switch SW Ø30.9

Colour: grey

XTF 1.5 Sport-Y



Technical specifications




- Aluminum, sizes: S - M - L
- Yamaha PW X3, 85 Nm
- 630Wh
- RockShox 35 Gold RL, 150mm
- RockShox Deluxe Select+, 205x57,5mm
- ø31,8 760mm Rise 20mm

Seatstays made of "injected composite"

- Sram NX Eagle
- Sram GUIDE-T, 4 Pistons
- Rodi TRYP30
- Pirelli SCORPION ProWall Trail
- Selle Italia MODEL-X Comfort Superflow
- Switch SW Ø30.9

Colour: green


XTF 1.5 All Track



FANTIC

E-MTB Trail

XTF 1.5 Y



32



Technical specifications

Seatstays made of “injected composite”

Colour: alu

NEW

	Aluminum, sizes: S - M - L		Sram SX Eagle
	Yamaha PW X3, 85 Nm		Sram LEVEL, 2 Pistons
	630Wh		Rodi TRYP30
	RockShox Recon Silver RL, 150mm		Pirelli SCORPION ProWall Trail
	RockShox Deluxe Select, 205x57,5mm		Selle Italia MODEL-X Comfort Superflow
	Ø31,8 760mm Rise 20mm		Ø30.9

Control, handling, exclusivity, mileage.

33



Technical specifications

Colour: grey

	Aluminum, sizes: S - M - L		Sram SX Eagle 11-50
	Yamaha PW S2, 75 Nm		Sram LEVEL, 2 Pistons
	630Wh		Rodi TRYP30
	Suntour Zeron 35, 150mm		Pirelli SCORPION ProWall Trail
	Suntour Edge-R Plus, 205x57,5mm		Selle Italia MODEL-X Comfort Superflow
	Ø31,8 760mm Rise 20mm		Ø30.9

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.



E-MTB All Mountain



Fantic's **All-Mountain** segment is engineered for adventure enthusiasts seeking a bike capable of tackling demanding terrain with the perfect **balance of power, stability, and comfort.**

These models stand out with their 170mm front travel, delivering **exceptional impact absorption**, making them ideal for conquering technical downhill, root-laden trails, rocky paths, and other challenging obstacles.



Control, handling, exclusivity, mileage.

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.

XMF 1.7 Carbon Race



Technical specifications

Colour: carbon black

	Carbon, sizes: S - M - L		Sram GX Eagle
	Brose S-Mag, 90 Nm		Magura MT7, 4 Pistons
	720Wh		Fulcrum E-Fire 500 29" - 27,5"
	RockShox Zeb Select, 170mm		Vittoria E-Martello 29" x 2,35 Vittoria E-Martello 27,5" x 2,6
	RockShox SuperDeluxe Select+, 205x60mm		Selle Italia Novus Boost X-CROSS Superflow
	Fantic Racing Ø35 800mm Rise 20mm		Crankbrothers HIGHLINE7 Ø30.9

XMF 1.7 Carbon Sport



Technical specifications

Colour: carbon black

	Carbon, sizes: S - M - L		Sram NX Eagle
	Brose S-Mag, 90 Nm		Sram Code-R 4 Pistons
	720Wh		Fulcrum E-Fire 700 29" - 27,5"
	SUNTOUR Durolux 38, 170mm		Vittoria E-Martello 29" x 2,35 Vittoria E-Martello 27,5" x 2,6
	RockShox SuperDeluxe Select+, 205x60mm		Selle Italia Novus Boost Evo Superflow
	Fantic Racing Ø35 800mm Rise 20mm Black		Switch SW Ø30.9

XMF 1.7 Race



NEW



Technical specifications

Colour: **silver**

	Aluminum, sizes: S - M - L		Sram NX Eagle
	Brose S-Mag, 90 Nm		Sram Code-R 4 Pistons
	720Wh		Fulcrum E-Fire 700 29" - 27,5"
	RockShox Zeb Select, 170mm		Vittoria E-Martello 29" x 2,35 Vittoria E-Martello 27,5" x 2,6
	RockShox SuperDeluxe Select+, 205x60mm		Selle Italia MODEL-X Comfort Superflow
	FSA Comet Ø35 800mm Rise 15mm		Switch SW Ø30.9

Control, handling, exclusivity, mileage.

XMF 1.7



Colour options:
military green



Technical specifications

Colour: **white**

	Aluminum, sizes: S - M - L		Sram NX Eagle
	Brose S-Mag, 90 Nm		Sram GUIDE-T, 4 Pistons
	720Wh		Fulcrum E-Fire 700 29" - 27,5"
	RockShox Domain R 170mm		Vittoria E-Martello 29" x 2,35 Vittoria E-Martello 27,5" x 2,6
	RockShox Deluxe Select+		Selle Italia MODEL-X Comfort Superflow
	Fantic Racing Ø35 800mm Rise 20mm Black		Switch SW Ø30.9

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.



E-MTB Enduro



Fantic's **Enduro** segment is specifically designed to tackle **demanding challenges and technical trails**, delivering the ultimate performance for passionate mountain bike riders.

With a 190mm front suspension travel, these bikes provide exceptional impact absorption, allowing riders to confidently **take on steep descents and rugged obstacles with maximum control and stability.**

The **Fantic** factory racing bike – **XEF 1.9 Carbon Team Replica** has proven to be a true game-changer this season, securing major race victories and reaffirming the advanced engineering and cutting-edge technology that define **Fantic's Enduro** eMTB lineup.

This model not only represents the pinnacle of the range, but also stands as a symbol of high performance and competitiveness, making it the **ideal choice for riders seeking a no-compromise riding experience.**



XEF 1.9 Carbon Team Replica



NEW




Technical specifications

Colour: **black**

	Carbon, sizes: S - M - L		Sram GX Eagle
	Brose S-Mag, 90 Nm		Magura MT7, 4 pistons
	720Wh		Mavic E-Deemax 29" - 27,5"
	RockShox Zeb Ultimate, 190mm		Vittoria E-Mazza 29" x 2,6 Vittoria E-Martello 29" x 2,6
	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring		Selle Italia Novus Boost Evo Superflow
	FSA Gradient Ø35 800mm Rise 25mm		SWITCH SW Ø30.9

Control, handling, exclusivity, mileage.

XEF 1.9 Factory



Technical specifications

Colour: **military green**

	Aluminum, sizes: S - M - L		Sram GX Eagle AXS
	Brose S-Mag, 90 Nm		Braking F1RST 2 Pistons
	720Wh		Mavic E-Deemax 29" - 27,5"
	RockShox Zeb Ultimate, 190mm		Vittoria E-Mazza 29" x 2,6 Vittoria Martello 27,5" 2 x 2,8
	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring		Selle Italia Novus Boost X-CROSS Superflow
	Fantic Racing Ø35 800mm Rise 20mm Sand		Crankbrothers HIGHLINE 7 Ø30.9

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.

XEF 1.9 Race



Colour options:
military green



Technical specifications

Colour: white

	Aluminum, sizes: S - M - L		Sram GX Eagle
	Brose S-Mag, 90 Nm		Magura MT7, 4 Pistons
	720Wh		Mavic E-Deemax 29"- 27,5"
	Suntour Durolux 38, 190mm		Vittoria E-Mazza 29" x 2,6 Vittoria Martello 27,5" 2 x 2,8
	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring		Selle Italia Novus Boost Evo Superflow
	Fantic Racing Ø35 800mm Rise 15mm Sand		Crankbrothers HIGHLINE 7 Ø30.9

XEF 1.8 Sport



Colour options:
white



Technical specifications

Colour: military green

	Aluminum, sizes: S - M - L		Sram NX Eagle
	Brose S-Mag, 90 Nm		Sram Code-R 4 Pistons
	720Wh		Mavic E-Deemax 29" - 27,5"
	RockShox Domain R, 180mm		Vittoria E-Mazza 29" x 2,6 Vittoria Martello 27,5" 2 x 2,8
	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring		Selle Italia MODEL-X Comfort Superflow
	Fantic Racing Ø35 800mm Rise 20mm Sand		SWITCH SW Ø30.9

XEF 1.9

Fantic Racing



Colour options:
military green



Technical specifications

Colore: **white**

	Aluminum, sizes: S - M - L		Sram NX Eagle 12v
	Brose S-Mag, 90 Nm		Magura MT7, 4 Pistons
	720Wh		Mavic E-Deemax 29"- 27,5"
	EXT Racing Shox ERA V2 for FANTIC RACING, 190mm		Vittoria E-Mazza 29" x 2,6 Vittoria E-Martello 27,5"x 2.8
	EXT Racing Shox E-STORIA for FANTIC RACING, 205x65mm		Selle Italia Novus Boost EVO
	SWITCH WHIP Ø35 780mm Rise 25mm		Crankbrothers HIGHLINE 7 Ø30.9





E-MTB Downhill



Fast as the Wind!

Fantic's Downhill E-MTB lineup is engineered for mountain bike enthusiasts seeking **extreme downhill performance**, delivering an unmatched riding experience on **highly technical trails**.


With a 200mm front suspension travel, these bikes provide exceptional shock absorption, allowing riders to confidently tackle steep descents, **tight corners**, and **complex obstacles with precision and control**.



Control, handling, exclusivity, mileage.

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.


XXF 2.0 Factory



Technical specifications

	Aluminum, sizes: S - M - L		Sram GX Eagle
	Brose S-Mag, 90 Nm		Braking F1RST 2 Pistons
	720Wh		Mavic E-Deemax 29" - 27,5"
	Ohlins DH 38, 200mm		Vittoria E-Mazza 29" x 2,6 Vittoria Martello 27,5" 2 x 2,8
	Ohlins TTX 22M, 205x65mm, 450lbf spring		Selle Italia Novus Boost X-Cross Superflow
	Fantic Racing Ø35 800mm Rise 30mm -Sand		Crankbrothers HIGHLINE 7 Ø30.9

XXF 2.0 Race



Technical specifications

	Aluminum, sizes: S - M - L		Sram NX Eagle
	Brose S-Mag, 90 Nm		Magura MT7, 4 Pistons
	720Wh		Mavic E-Deemax 29" - 27,5"
	RockShox Boxxer Select, 200mm		Vittoria E-Mazza 29" x 2,6 Vittoria Martello 27,5" 2 x 2,8
	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring		Selle Italia Model-X Comfort Superflow
	Fantic Racing Ø35 800mm Rise 30mm Sand		Switch SW Ø 30.9



E-MTB Hard Tail



Designed for hilly or wooded trails, dirt tracks or dirt roads, the **Hard Tail** range is composed of 2 models, **Integra XF2** and **Fat**, front suspended with 120 mm travel only on the front.

Engineered and developed by Fantic for those who are looking for a simple, sporty and also high-performing bike without too much effort. In the spotlight is the Fat Sport model, one of a kind and characterized by wide tires for use on snow.



Fat Sport



App

54



Technical specifications

Colour: sage green

	Aluminium, sizes: S - M - L		Sram Level, 2Pistons
	Brose T-Alu, 70 Nm		Gipiemme 26"
	630Wh		Schwalbe JUMBO-JIM, 26 X 4"
	RockShox Bluto RL, 120mm		Selle Italia Model X Comfort Superflow
	Sram SX Eagle		Rigid FSA Ø30.9
	FSA Ø31,8 -760m- Rise 15mm		

20 Control, handling, exclusivity, mileage. 25

Integra XF2



App

55



Technical specifications

Colour: red

	Aluminium, sizes: S - M - L		Sram Level, 2Pistons
	Brose T-Alu, 70 Nm		Gipiemme 29"F / 27,5"R, tubeless ready
	630Wh		Schwalbe Smart Sam, Front 29"x 2,25" Rear 27,5" x 2,6"
	RockShox Recon Silver RL, 120mm		Selle Italia Model X Comfort Superflow
	Sram SX Eagle		Rigid FSA Ø30.9
	FSA Ø31,8 760mm Rise 15mm		

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.



ISSIMO



The line is completed with the award-winning **Issimo 25** and **Issimo 45**. **Issimo** family has reinvented the concept of sustainable mobility, revolutionizing commuting by making it both easier and safer. **Issimo** guarantees **safety and stability** on every terrain, thanks to its Fat 20x4" tyres and low center of gravity, which are available in both the Urban and Fun versions.

Trekking





Fantic's engineers have designed this model to integrate our best **Italian design**, innovative lines, top level performance and all the road safety we need. **Fantic** has created a new "concept" of urban E-Bikes that is suitable for every kind of road, and is sporty and contemporary.

Riding every day, in the city and outdoor areas, without compromising on safety, quality and comfort. That's why we created the world of **Living**, 5 models for **everyday commuting, for everyone.**



Issimo Fun



Issimo Urban



58



Technical specifications

Colour: **black**

	Aluminum frame, Unix Design, One Size		Enviolo City
	90 Nm Bafang M500, 95 Nm		Radius
	630Wh		20" Fat
	Zoom 80mm		Vee-Tire Co - 20"X4" Mission Command

59




Technical specifications

Colour: **black**

	Aluminum frame, Unix Design, One Size		Enviolo City
	90 Nm Bafang M500, 95 Nm		Radius
	630Wh		20" Fat
	Zoom 80mm		Vee-Tire Co - 20"X4" Speedster

Issimo 45



Technical specifications

Colour: **black**

	Aluminum, Unix Design, One Size		Enviolo Heavy Duty
	Bafang M600, Max power: 500 Watt, 120 Nm		Radius BH-M870-E with cut-off
	600Wh		20" Fat
	Zoom 80mm		Vee-Tire Co - 20"X4" Speedster

Issimo accessories

10 colourful covers



Living

Living Easy



Technical specifications

Colour: sand

	Aluminium, sizes: S - M - L		Promax Solve ST 925 hydraulic 2P, 180mm disc
	Yamaha PW S2, 75Nm		29"
	630Wh		Vittoria E-Randonneur 50mm
	Suntour XCR34, travel 100mm		Selle Italia S5 Superflow
	Sram SX Eagle		GBC 700mm, Rise 20mm

Technical specifications

Colour: blue

	Aluminium, sizes: S - M / L - XL		Promax Solve ST 925 hydraulic 2P, 180mm disc
	Yamaha PW S2, 75Nm		29"
	630Wh		Vittoria E-Randonneur 50mm
	Suntour XCR34, travel 100mm		Selle Italia MAX S5 Superflow
	Sram SX Eagle		GBC 700mm, Rise 20mm

Living City



App



64

Technical specifications

Colour: **white**

	Aluminium, sizes: S - M - L		Promax Solve ST 925 hydraulic 2P, 180mm disc
	Yamaha PW S2, 75Nm		29" (M-L) - 27.5" (S)
	630Wh		Vittoria E-Randonneur 50mm
	RST Volant, travel 50mm		Selle Italia T3 Flow
	Enviolo City		700mm, Rise 41mm

Living City 12S



App



65

Technical specifications

Colour: **white**

	Aluminium, sizes: S - M / L - XL		Promax Solve ST 925 hydraulic 2P, 180mm disc
	Yamaha PW S2, 75Nm		29" (M-L) - 27.5" (S)
	630Wh		Vittoria E-Randonneur 50mm
	RST Volant, travel 50mm		Selle Italia T3 Flow
	Sram SX Eagle		700mm, Rise 41mm



66

67



FMOSER Road



Innovation.

A bike for breaking records. Improve your session by reducing recovery time and increasing distances. **A bike for visionaries and pioneers.**
A bike for revolutionaries.



FMOSER Gravel



Explore.

There are uncharted roads that lead to unexplored, adrenaline-pumping, or silent places. Earthen, gravel, root, and mud roads. **There are places just waiting to be discovered.**

Your road, your choice.

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.

FMOSER Road Heritage



NEW

+ third wheel kit
(second rear wheel)
included



Technical specifications

Colour: **red**



Carbon S,M,L,XL



Vision Team 30



FSA HM1 Hub Motor



Vittoria Rubino Pro 700x30c



FSA System 250 Wh



SelleItalia SLR Superflow MNG



Sram Force 12 speed 10-36



FSA Energy Comp ACR



Sram Force



F MOSER Road Fsa



Range extender **included**
+ third wheel kit
(second rear wheel) **included**



Technical specifications

Colour: **silver**



Carbon S,M,L,XL



Vision Metron 30, full carbon



FSA HM1 Hub Motor



Vittoria Corsa Pro 700x30c



FSA System 250 Wh



Selle Italia Boost Superflow Carbon



FSA K Force WE



Vision Metron 5D



FSA K Force WE



FMOSE Road Red



Range extender **included**
+ third wheel kit
(second rear wheel) **included**



Technical specifications

Colour: **white** **NEW**



Carbon S,M,L,XL



Vision Metron 30, full carbon



FSA HM1 Hub Motor



Vittoria Corsa Pro 700x30c



FSA System 250 Wh



Selle Italia Boost Superflow Carbon



Sram Red AXS



FSA K-Force Compact



Sram Red eTap



FMOSE Road Force



+ third wheel kit
(second rear wheel)
included



Technical specifications

Colour: **silver**



Carbon S,M,L,XL



Vision Team 30



FSA HM1 Hub Motor



Vittoria Rubino Pro 700x30c



FSA System 250 Wh



SelleItalia SLR Superflow MNG




Sram Force AXS



FSA Energy Comp ACR




Sram Force



FMOSER Road Rival



+ third wheel kit
(second rear wheel)
included



Technical specifications

Colour: **iridescente**



Carbon S,M,L,XL



Vision Team 30



FSA HM1 Hub Motor



Vittoria Rubino Pro 700x30c



FSA System 250 Wh



SelleItalia Model X Superflow



Sram Rival AXS



FSA Omega



Sram Rival



FMOSE Gravel Force



+ third wheel kit
(second rear wheel)
included

Colour options:
sand



NEW



Technical specifications

Colour: **sage green**



Carbon S,M,L,XL



Vision AGX



FSA HM1 Hub Motor



Vittoria Terreno Dry 700x35c



FSA System 250 Wh



SelleItalia Novus Boost EVO



Sram Rival AXS



FSA A-Wing Pro AGX



Sram Force



FMOSE Gravel Rival



+ third wheel kit
(second rear wheel)
included



Technical specifications



Carbon S,M,L,XL



Vision AGX



FSA HM1 Hub Motor



Vittoria Terreno Dry 700x35c



FSA System 250 Wh



Selle Italia Model X Comfort Superflow



Sram Rival AXS



FSA A-Wing Pro AGX



Sram Rival

Colour options:
sand



NEW

Colour: **sage green**



F MOSER Gravel Apex



NEW

Range extender **included**



Technical specifications

Colour: **sand**



Carbon S,M,L,XL



Vision AGX



FSA HM1 Hub Motor



Vittoria Terreno Dry 700x35c



FSA System 250 Wh



Selle Italia Model X Comfort Superflow



Sram Apex 12s



FSA A-Wing Pro AGX



Sram Apex








Specifications

Control, handling, exclusivity, mileage.

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.


Rampage
1.4 Limited
Edition



Sizes	S	M	L	XL
A	410	440	470	500
B	75.00	75.00	75.00	75.00
C	585	607	633	658
D	95	105	120	130
E	64,50	65,00	65,00	65,50
F	51	51	51	51
G	121,5	118,0	118,0	114,3
H	732	748	775	794
I	437	437	437	437
J	23	23	23	23
J ₂	349	349	349	349
K	605	612	627	640
L	423.5	442.5	463.0	483.0
M	795	800	805	810
N	780	780	780	780
O	65*- 70*	65*- 70*	65*- 70*	65*- 70*
P	170	170	175	175
Q/R	29" 743mm	29" 743mm	29" 743mm	29" 743mm
S	562	562	562	562
Z	100	100	125	150
* 65 Handlebar KFX SIC INTEGRATED				
* 70 Handlebar KFX FLAT				

Motor	TQ HPR-50, 50 Nm
Battery	360Wh
Display	TFT top tube + remote
Frame & size	Full-Carbon, sizes: S - M - L - XL
Fork	FOX 34 FACTORY, 140mm - black
Shock	FOX FLOAT FACTORY, 190x45mm
Chain rings	Sram Eagle 34T
Crank arm	FSA Carbon 170/175mm
Rear derailleur	Sram GX Eagle AXS
Shift Levers	Sram GX Eagle AXS
Cassette	Sram XX1 Rainbow 10-52
Chain	Sram NX Eagle
Brakes	Magura MT8 PRO, 2 Pistons
Discs	Braking S3 Batfly 180/F-R
Tires front	Vittoria SYERRA - 29" x 2,4
Tires rear	Vittoria SYERRA - 29" x 2,4
Wheels	FSA KFX Carbon - 29"
Handlebar	FSA KFX UD Carbon Ø31,8 flat 760mm
Stem	FSA NS ICR 10°AO 70mm Ø31,8
Seatpost	FOX TRANSFER FACTORY
Saddle	Selle Italia Novus Boost X-Cross Superflow
Weight	16,7 kg
Note	(*) Optional range extender, 160Wh


Rampage
1.4 Race



Sizes	S	M	L	XL
A	410	440	470	500
B	75.00	75.00	75.00	75.00
C	585	607	633	658
D	95	105	120	130
E	64,50	65,00	65,00	65,50
F	51	51	51	51
G	121,5	118,0	118,0	114,3
H	732	748	775	794
I	437	437	437	437
J	23	23	23	23
J ₂	349	349	349	349
K	605	612	627	640
L	423.5	442.5	463.0	483.0
M	795	800	805	810
N	780	780	780	780
O	65*- 70*	65*- 70*	65*- 70*	65*- 70*
P	170	170	175	175
Q/R	29" 743mm	29" 743mm	29" 743mm	29" 743mm
S	562	562	562	562
Z	100	100	125	150
* 65 Handlebar KFX SIC INTEGRATED				
* 70 Handlebar KFX FLAT				

Motor	TQ HPR-50, 50 Nm
Battery	360Wh
Display	TFT top tube + remote
Frame & size	Full-Carbon, sizes: S - M - L - XL
Fork	Suntour AXON34 LO-RC PCS, 140mm
Shock	Suntour EDGE PLUS 2CR, 190x45mm
Chain rings	Sram Eagle 34t
Crank arm	FSA Forged Alloy 170/175mm
Rear derailleur	Sram GX Eagle 12v
Shift Levers	Sram GX Eagle
Cassette	Sram GX Eagle 10-52
Chain	Sram GX Eagle
Brakes	Magura MT SPORT, 2 Pistons
Discs	Braking S3 Batfly 180/F-R
Tires front	Vittoria SYERRA - 29" x 2,4
Tires rear	Vittoria SYERRA - 29" x 2,4
Wheels	Mavic Crossmax SL S - 29"
Handlebar	GBC Ø31,8 FLAT
Stem	GBC Ø31,8 x 70mm +8°
Seatpost	Crankbrothers Highline 3 Ø30.9
Saddle	Selle Italia Model-X Superflow
Weight	17,0 kg
Note	(*) Optional range extender, 160Wh


Rampage
1.4 Factory



Sizes	S	M	L	XL
A	410	440	470	500
B	75.00	75.00	75.00	75.00
C	585	607	633	658
D	95	105	120	130
E	64,50	65,00	65,00	65,50
F	51	51	51	51
G	121,5	118,0	118,0	114,3
H	732	748	775	794
I	437	437	437	437
J	23	23	23	23
J ₂	349	349	349	349
K	605	612	627	640
L	423.5	442.5	463.0	483.0
M	795	800	805	810
N	780	780	780	780
O	65*- 70*	65*- 70*	65*- 70*	65*- 70*
P	170	170	175	175
Q/R	29" 743mm	29" 743mm	29" 743mm	29" 743mm
S	562	562	562	562
Z	100	100	125	150
* 65 Handlebar KFX SIC INTEGRATED				
* 70 Handlebar KFX FLAT				

Motor	TQ HPR-50, 50 Nm
Battery	360Wh
Display	TFT top tube + remote
Frame & size	Full-Carbon, sizes: S - M - L - XL
Fork	Suntour AXON34 LO-RC PCS Factory, 140mm
Shock	Suntour EDGE PLUS 2CR, 190x45mm
Chain rings	Sram Eagle 34T
Crank arm	FSA Carbon 170/175mm
Rear derailleur	Sram GX Eagle AXS
Shift Levers	Sram GX Eagle AXS
Cassette	Sram XX1 Rainbow 10-52
Chain	Sram NX Eagle
Brakes	Magura MT8 PRO, 2 Pistons
Discs	Braking S3 Batfly 180/F-R
Tires front	Vittoria SYERRA - 29" x 2,4
Tires rear	Vittoria SYERRA - 29" x 2,4
Wheels	Mavic Crossmax SL S - 29"
Handlebar	FANTIC RACING INTEGRATED FLAT-17°, 780mm
Stem	nd /na
Seatpost	RockShox Rverb AXS Ø30.9
Saddle	Selle Italia Novus Boost X-Cross Superflow
Weight	16,7 kg
Note	(*) Optional range extender, 160Wh


Rampage
1.4 Sport



Sizes	S	M	L	XL
A	410	440	470	500
B	75.00	75.00	75.00	75.00
C	585	607	633	658
D	95	105	120	130
E	64,50	65,00	65,00	65,50
F	51	51	51	51
G	121,5	118,0	118,0	114,3
H	732	748	775	794
I	437	437	437	437
J	23	23	23	23
J ₂	349	349	349	349
K	605	612	627	640
L	423.5	442.5	463.0	483.0
M	795	800	805	810
N	780	780	780	780
O	65*- 70*	65*- 70*	65*- 70*	65*- 70*
P	170	170	175	175
Q/R	29" 743mm	29" 743mm	29" 743mm	29" 743mm
S	562	562	562	562
Z	100	100	125	150
* 65 Handlebar KFX SIC INTEGRATED				
* 70 Handlebar KFX FLAT				

Motor	TQ HPR-50, 50 Nm
Battery	360Wh
Display	TFT top tube + remote
Frame & size	Full-Carbon, sizes: S - M - L - XL
Fork	Suntour RAIDON34 LOR, 140mm
Shock	Suntour EDGE PLUS 2CR, 190x45mm
Chain rings	Sram Eagle 34t
Crank arm	FSA Forged Alloy 170/175mm
Rear derailleur	Sram SX Eagle 12v
Shift Levers	Sram SX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram LEVEL, 2 Pistons
Discs	Sram CenterLine 180/F-R
Tires front	Vittoria SYERRA - 29"x 2,4
Tires rear	Vittoria SYERRA - 29"x 2,4
Wheels	GBC Radiale - 29"
Handlebar	GBC Ø31,8 FLAT
Stem	GBC Ø31,8 x 70mm +8°
Seatpost	Switch SW Ø30.9
Saddle	Selle Italia Model-X Superflow
Weight	17,8 kg
Note	(*) Optional range extender, 160Wh


Rampage 1.2 Factory



Sizes	S	M	L	XL
A	410	440	470	500
B	74.00	74.00	74.00	74.00
C	585	607	633	658
D	95	105	120	130
E	66,00	66,50	66,50	67,00
F	44	44	44	44
G	115,0	111,5	111,5	107,8
H	714	730	757	776
I	430	430	430	430
J	30	30	30	30
J ₂	337	337	337	337
K	605	612	627	640
L	423.5	442.5	463.0	483.0
M	775	780	785	790
N	780	780	780	780
O	65* - 70*	65* - 70*	65* - 70*	65* - 70*
P	170	170	175	175
Q/R	29" - 733mm	29" - 733mm	29" - 733mm	29" - 733mm
S	531	531	531	531
Z	100	100	125	150
* 65 Handlebar KFX SIC INTEGRATED				
* 70 Handlebar KFX FLAT				

Motor	TQ HPR-50, 50 Nm
Battery	360Wh
Display	TFT top tube + remote
Frame & size	Full-Carbon, sizes: S - M - L - XL
Fork	RockShox SID Ultimate 2P, 120mm - remote lock - blue
Shock	RockShox SIDLuxe 2P Ultimate, 190x37,5mm remote lock - blue
Chain rings	Sram Eagle Transmission 34t
Crank arm	FSA Carbon 170/175mm
Rear derailleur	Sram XX SL Eagle Transmission 12v
Shift Levers	Sram Eagle AXS
Cassette	Sram XX Eagle Transmission 10-52
Chain	Sram XX Eagle Transmission
Brakes	Magura MT8 SL, 2 Pistons
Discs	Braking S3 Batfly 180/F-R
Tires front	Pirelli SCORPION ProWall XC-RC - 29" x 2,2
Tires rear	Pirelli SCORPION ProWall XC-RC - 29" x 2,2
Wheels	Mavic Crossmax SL Ultimate - 29"
Handlebar	FANTIC RACING INTEGRATED FLAT-17", 780mm
Stem	nd /na
Seatpost	Crankbrothers Highline 11 Ø30.9 - carbon
Saddle	Selle Italia SLR Boost Superflow
Weight	15,5 kg
Note	(*) Optional range extender, 160Wh


XTF 1.6 Carbon Factory



Sizes	S	M	L	XL
A	390	430	469	510
A3	73	73	73	73
B	575	596	628	655
B1	156	158	162	167
B2	419	438	466	488
B3	608,0	615,1	628,9	645,5
C	100	105	120	135
C2	568	568	568	568
C4	66	66,5	66,5	67
D1	1188	1204	1238	1260
E	456	456	456	456
F	362,5	362,5	362,5	362,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Carbon, sizes: S - M - L - XL
Fork	RockShox Lyrik Ultimate, 160mm - green
Shock	RockShox Deluxe Ultimate, 205x60mm
Chain rings	Sram Eagle 34t, alu
Crank arm	FSA Carbon 170mm
Rear derailleur	Sram XX1 Eagle AXS 12v
Shift Levers	Sram XX1 Eagle AXS
Cassette	Sram XX1 Eagle Rainbow 10-52
Chain	Sram XX1 Eagle Rainbow
Brakes	Magura MT Trail Sport 4Pistons/F, 2Pistons/R
Discs	Braking S3 Batfly 203/F, 180/R
Tires front	Pirelli SCORPION ProWall Trail -M- 29" x 2,4
Tires rear	Pirelli SCORPION ProWall Trail -R- 29" x 2,4
Wheels	FSA KFX Carbon - 29"
Handlebar	FSA KFX INTEGRATED 780mm Rise 5mm
Stem	nd /na
Seatpost	Rock Shox Reverb AXS Ø30.9
Saddle	Selle Italia SLR Boost Superflow
Weight	19,9 Kg
Note	(*)


Rampage 1.2 Race



Sizes	S	M	L	XL
A	410	440	470	500
B	74.00	74.00	74.00	74.00
C	585	607	633	658
D	95	105	120	130
E	66,00	66,50	66,50	67,00
F	44	44	44	44
G	115,0	111,5	111,5	107,8
H	714	730	757	776
I	430	430	430	430
J	30	30	30	30
J ₂	337	337	337	337
K	605	612	627	640
L	423.5	442.5	463.0	483.0
M	775	780	785	790
N	780	780	780	780
O	65* - 70*	65* - 70*	65* - 70*	65* - 70*
P	170	170	175	175
Q/R	29" - 733mm	29" - 733mm	29" - 733mm	29" - 733mm
S	531	531	531	531
Z	100	100	125	150
* 65 Handlebar KFX SIC INTEGRATED				
* 70 Handlebar KFX FLAT				

Motor	TQ HPR-50, 50 Nm
Battery	360Wh
Display	TFT top tube + remote
Frame & size	Full-Carbon, sizes: S - M - L - XL
Fork	RockShox SID 2P, 120mm - remote lock
Shock	RockShox SIDLuxe 2P, 190x37,5mm - remote lock
Chain rings	Sram Eagle Transmission 34t
Crank arm	FSA Forged Alloy 170/175mm
Rear derailleur	Sram GX Eagle Transmission 12v
Shift Levers	Sram Eagle AXS
Cassette	Sram GX Eagle Transmission 10-52
Chain	Sram GX Eagle Transmission
Brakes	Magura MT8 PRO, 2 Pistons
Discs	Braking S3 Batfly 180/F-R
Tires front	Pirelli SCORPION ProWall XC-RC - 29" x 2,2
Tires rear	Pirelli SCORPION ProWall XC-RC - 29" x 2,2
Wheels	Mavic Crossmax SL S - 29"
Handlebar	FANTIC RACING INTEGRATED FLAT-17", 780mm
Stem	nd /na
Seatpost	Crankbrothers Highline 3 Ø30.9
Saddle	Selle Italia Novus Boost X-Cross Superflow
Weight	16,4 kg
Note	(*) Optional range extender, 160Wh

XTF 1.6 Carbon Race




Sizes	S	M	L	XL
A	390	430	469	510
A3	73	73	73	73
B	575	596	628	655
B1	156	158	162	167
B2	419	438	466	488
B3	608,0	615,1	628,9	645,5
C	100	105	120	135
C2	568	568	568	568
C4	66	66,5	66,5	67
D1	1188	1204	1238	1260
E	456	456	456	456
F	362,5	362,5	362,5	362,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Carbon, sizes: S - M - L - XL
Fork (**)	RockShox Lyrik Select, 160mm
Shock	RockShox Deluxe Select+, 205x60mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 170mm
Rear derailleur	Sram GX Eagle AXS 12v
Shift Levers	Sram GX Eagle AXS
Cassette	SunRace SilverRed 11-51
Chain	SunRace CN12A
Brakes	Sram G2-RS 4 Pistons
Discs	Braking S3 Batfly 203/F, 180/R
Tires front	Pirelli SCORPION ProWall Trail -M- 29" x 2,4
Tires rear	Pirelli SCORPION ProWall Trail -R- 29" x 2,4
Wheels	FSA i29 Carbon - 29"
Handlebar	FSA KFX UD Carbon Ø31,8 flat 760mm
Stem	FSA NS ICR 10°AO 70mm Ø31,8
Seatpost	Switch SW Ø30.9
Saddle	Selle Italia Novus Boost X-CROSS Superflow
Weight	21,3 kg
Note	(*)

(**) Alternative fork / forcella alternativa Suntour Durolux 36

XTF 1.6
Carbon
Sport




Sizes	S	M	L	XL
A	390	430	469	510
A3	73	73	73	73
B	575	596	628	655
B1	156	158	162	167
B2	419	438	466	488
B3	608,0	615,1	628,9	645,5
C	100	105	120	135
C2	568	568	568	568
C4	66	66,5	66,5	67
D1	1188	1204	1238	1260
E	456	456	456	456
F	362,5	362,5	362,5	362,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Carbon, sizes: S - M - L - XL
Fork (**)	RockShox Lyrik Select, 160mm
Shock	RockShox Deluxe Select+, 205x60mm
Chain rings	Sram Eagle 34t
Crank arm	Miranda 170mm
Rear derailleur	Sram GX Eagle 12V
Shift Levers	Sram NX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram G2-RS 4 Pistons
Discs	Braking S3 Batfly 203/F, 180/R
Tires front	Pirelli SCORPION ProWall Trail -M- 29" x 2,4
Tires rear	Pirelli SCORPION ProWall Trail -R- 29" x 2,4
Wheels	Rodi READY27 - 29"
Handlebar	FSA Ø31,8 760mm Rise 15mm
Stem	FSA Ø31,8 x 60mm ±6°
Seatpost	Switch SW Ø30.9
Saddle	Selle Italia Novus Boost Evo Superflow
Weight	22,3 kg
Note	(*)

(**) Alternative fork / forcella alternativa Suntour Durolux 36

XTF 1.5
Race-Y




Sizes	S	M	L
A	390	430	490
B	573	602	627
E	472	472	472
F	358	358	358
D1	1193	1224	1244
B2	407	433	453
B1	166	169	174
C2	567	567	567
C	105	115	130
A3	73	73	73
C4	66	66	66,5

Motor	Yamaha PW X3, 85 Nm
Battery	630Wh
Display	Yamaha Interface X
Frame & size	Aluminum, sizes: S - M - L
Fork (**)	RockShox 35 Gold RL, 150mm
Shock	RockShox Deluxe Select+, 205x57,5mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 165mm
Rear derailleur	Sram GX Eagle AXS 12v
Shift Levers	Sram GX Eagle AXS
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram GUIDE-T, 4 Pistons
Discs	Sram CenterLine 200/F, 180/R
Tires front	Pirelli SCORPION ProWall Trail -M- 29"x 2,4
Tires rear	Pirelli SCORPION ProWall Trail -R- 29"x 2,4
Wheels	Rodi TRYP30
Handlebar	FSA Ø31,8 760mm Rise 15mm
Stem	FSA Ø31,8 x 60mm ±6°
Seatpost	Switch SW Ø30.9
Saddle	Selle Italia MODEL-X Comfort Superflow
Weight	25,0 kg
Note	(*)

(**) Alternative fork / forcella alternativa Suntour Auron 35

XTF 1.5
Carbon




Sizes	M	L	XL
A	430	469	510
B	596	628	655
E	456	456	456
F	362,5	362,5	362,5
D1	1204	1238	1260
B2	438	466	488
B1	158	162	167
C2	568	568	568
C	105	120	135
A3	73	73	73
C4	66,5	66,5	67

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Carbon, sizes: S - M - L - XL
Fork (**)	RockShox 35 Gold RL, 150mm
Shock	RockShox Deluxe Select+, 205x60mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 165mm
Rear derailleur	Sram NX Eagle 12v
Shift Levers	Sram NX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram GUIDE-T, 4 Pistons
Discs	Sram CenterLine 200/F, 180/R
Tires front	Pirelli SCORPION ProWall Trail -M- 29" x 2,4
Tires rear	Pirelli SCORPION ProWall Trail -R- 29" x 2,4
Wheels	Rodi READY27 - 29"
Handlebar	FSA Ø31,8 760mm Rise 15mm
Stem	FSA Ø31,8 x 60mm ±6°
Seatpost	Switch SW Ø30.9
Saddle	Selle Italia MODEL-X Comfort Superflow
Weight	22,9 kg
Note	(*)

(**) Alternative fork / forcella alternativa Suntour Auron 35

XTF 1.5
Sport-Y




Sizes	S	M	L
A	390	430	490
B	573	602	627
E	472	472	472
F	358	358	358
D1	1193	1224	1244
B2	407	433	453
B1	166	169	174
C2	567	567	567
C	105	115	130
A3	73	73	73
C4	66	66	66,5

Motor	Yamaha PW X3, 85 Nm
Battery	630Wh
Display	Yamaha Interface X
Frame & size	Aluminum, sizes: S - M - L
Fork (**)	RockShox 35 Gold RL, 150mm
Shock	RockShox Deluxe Select+, 205x57,5mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 165mm
Rear derailleur	Sram NX Eagle 12v
Shift Levers	Sram NX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram GUIDE-T, 4 Pistons
Discs	Sram CenterLine 200/F, 180/R
Tires front	Pirelli SCORPION ProWall Trail -M- 29" x 2,4
Tires rear	Pirelli SCORPION ProWall Trail -R- 29" x 2,4
Wheels	Rodi TRYP30 - 29"
Handlebar	ø31,8 760mm Rise 20mm
Stem	Promax ø31,8 x 60mm ±6°
Seatpost	Switch SW Ø30.9
Saddle	Selle Italia MODEL-X Comfort Superflow
Weight	25,2 kg
Note	(*)

(**) Alternative fork / forcella alternativa Suntour Auron 35

XTF 1.5
All Track




Sizes	S	M	L
A	390	430	490
B	573	602	627
E	472	472	472
F	358	358	358
D1	1193	1224	1244
B2	407	433	453
B1	166	169	174
C2	567	567	567
C	105	115	130
A3	73	73	73
C4	66	66	66,5

Motor	Yamaha PW X3, 85 Nm
Battery	630Wh
Display	Yamaha Interface X
Frame & size	Aluminum, sizes: S - M - L
Fork (**)	RockShox Recon Silver RL, 150mm
Shock	RockShox Deluxe Select, 205x57,5mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 165mm
Rear derailleur	Sram SX Eagle 12v
Shift Levers	Sram SX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram LEVEL, 2 Pistons
Discs	Sram CenterLine 200/F, 180/R
Tires front	Pirelli SCORPION ProWall Trail -M- 29" x 2,4
Tires rear	Pirelli SCORPION ProWall Trail -R- 29" x 2,4
Wheels	Rodi TRYP30
Handlebar	ø31,8 760mm Rise 20mm
Stem	Promax ø31,8 x 60mm ±6°
Seatpost	Ø30.9
Saddle	Selle Italia MODEL-X Comfort Superflow
Weight	25,4 kg
Note	(*)

(**) Alternative fork / forcella alternativa Suntour Aion 35

XMf 1.7
Carbon Race




Sizes	S	M	L
A	390	440	490
B	571,5	606	633
E	461	461	461
F	361,5	361,5	361,5
D1	1195,5	1224	1246
B2	390,5	421,5	446
B1	181	183,5	187,5
C2	581	581	581
C	105	110	120
A3	71	71	71
C4	64	64,5	64,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Carbon, sizes: S - M - L
Fork	RockShox Zeb Select, 170mm
Shock	RockShox SuperDeluxe Select+, 205x60mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 165mm
Rear derailleur	Sram GX Eagle AXS 12v
Shift Levers	Sram GX Eagle AXS
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Magura MT7, 4 Pistons
Discs	Braking S3 Batfly 220/F, 203/R
Tires front	Vittoria E-Martello 29" x 2,35
Tires rear	Vittoria E-Martello 27,5" x 2,6
Wheels	Fulcrum E-Fire 500 29" - 27,5"
Handlebar	Fantic Racing Ø35 800mm Rise 20mm
Stem	Fantic Racing Ø35 x 50mm
Seatpost	Crankbrothers HIGHLINE7 Ø30.9
Saddle	Selle Italia Novus Boost X-CROSS Superflow
Weight	23,0 Kg
Note	(*)

(**) Alternative fork / forcella alternativa Suntour Aion 35

XTF 1.5Y




Sizes	S	M	L
A	390	430	490
B	573	602	627
E	472	472	472
F	358	358	358
D1	1193	1224	1244
B2	407	433	453
B1	166	169	174
C2	567	567	567
C	105	115	130
A3	73	73	73
C4	66	66	66,5

Motor	Yamaha PW S2, 75 Nm
Battery	630Wh
Display	Yamaha Interface X
Frame & size	Aluminum, sizes: S - M - L
Fork (**)	Suntour Zeron 35, 150mm
Shock	Suntour Edge-R Plus, 205x57,5mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 165mm
Rear derailleur	Sram SX Eagle 12v
Shift Levers	Sram SX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram LEVEL, 2 Pistons
Discs	Sram CenterLine 200/F, 180/R
Tires front	Pirelli SCORPION ProWall Trail -M- 29" x 2,4
Tires rear	Pirelli SCORPION ProWall Trail -R- 29" x 2,4
Wheels	Rodi TRYP30
Handlebar	ø31,8 760mm Rise 20mm
Stem	Promax ø31,8 x 60mm ±6°
Seatpost	Ø30.9
Saddle	Selle Italia MODEL-X Comfort Superflow
Weight	25,4 kg
Note	(*)

(**) Alternative fork / forcella alternativa Suntour Aion 35

XMf 1.7
Carbon Sport




Sizes	S	M	L
A	390	440	490
B	571,5	606	633
E	461	461	461
F	361,5	361,5	361,5
D1	1195,5	1224	1246
B2	390,5	421,5	446
B1	181	183,5	187,5
C2	581	581	581
C	105	110	120
A3	71	71	71
C4	64	64,5	64,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Carbon, sizes: S - M - L
Fork (**)	SUNTOUR Durolux 38, 170mm
Shock	RockShox SuperDeluxe Select+, 205x60mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 165mm
Rear derailleur	Sram GX Eagle 12v
Shift Levers	Sram NX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram Code-R 4 Pistons
Discs	Braking S3 Batfly 220/F, 203/R
Tires front	Vittoria E-Martello 29" x 2,35
Tires rear	Vittoria E-Martello 27,5" x 2,6
Wheels	Fulcrum E-Fire 700 29" - 27,5"
Handlebar	Fantic Racing Ø35 800mm Rise 20mm Black
Stem	FSA Grid Ø35 x 50mm +6°
Seatpost	Switch SW Ø30.9
Saddle	Selle Italia Novus Boost Evo Superflow
Weight	23,8 Kg
Note	(*)

(**) Alternative fork / forcella alternativa RockShox Domain R 170mm


XMF 1.7 Race



Sizes	S	M	L
A	390	430	469
B	586	596	628
E	459	459	459
F	363,5	363,5	363,5
D1	1241	1245	1270,5
B2	425	454	480
B1	161	162	166
C2	581	581	581
C	105	110	120
A3	73	73	73
C4	65	65	65,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Aluminum, sizes: S - M - L
Fork	RockShox Zeb Select, 170mm
Shock	RockShox SuperDeluxe Select+, 205x60mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 165mm
Rear derailleur	Sram NX Eagle 12v
Shift Levers	Sram NX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram Code-R 4 Pistons
Discs	Sram CenterLine 220/F, 200/R
Tires front	Vittoria E-Martello 29" x 2,35
Tires rear	Vittoria E-Martello 27,5" x 2,6
Wheels	Fulcrum E-Fire 700 29" - 27,5"
Handlebar	FSA Comet Ø35 800mm Rise 15mm
Stem	FSA Comet Ø35 x 50mm +6°
Seatpost	Switch SW Ø30.9
Saddle	Selle Italia MODEL-X Comfort Superflow
Weight	25,3 Kg
Note	(*)


XEF 1.9 Carbon Team Replica



Sizes	S	M	L
A	390	430	470
B	590	620	650
E	459	459	459
F	364	364	364
D1	1226	1256	1281
B2	414	443	469
B1	175,5	177	181
C2	606	606	606
C	105	110	120
A3	72	72	72
C4	64	64	64,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Carbon, sizes: S - M - L
Fork	RockShox Zeb Ultimate, 190mm
Shock	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring
Chain rings	Sram Eagle 34t
Crank arm	FSA 170mm
Rear derailleur	Sram GX Eagle 12V
Shift Levers	Sram GX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram NX Eagle
Brakes	Magura MT7, 4 Pistons
Discs	Braking S3 Batfly 220/F, 203/R
Tires front	Vittoria E-Mazza 29" x 2.6
Tires rear	Vittoria E-Martello 29" x 2,6
Wheels	MAVIC E-Deemax 29" - 27,5"
Handlebar	FSA Gradient Ø35 800mm Rise 25mm
Stem	FSA Gradient Ø35 x 35mm +6°
Seatpost	SWITCH SW Ø30.9
Saddle	Selle Italia Novus Boost Evo Superflow
Weight	23,4 Kg
Note	(*)


XMF 1.7



Sizes	S	M	L
A	390	430	469
B	586	596	628
E	459	459	459
F	363,5	363,5	363,5
D1	1241	1245	1270,5
B2	425	454	480
B1	161	162	166
C2	581	581	581
C	105	110	120
A3	73	73	73
C4	65	65	65,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Aluminum, sizes: S - M - L
Fork (**)	RockShox Domain R 170mm
Shock	RockShox Deluxe Select+
Chain rings	Sram Eagle 34t
Crank arm	FSA 165mm
Rear derailleur	Sram NX Eagle 12v
Shift Levers	Sram NX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram GUIDE-T, 4 Pistons
Discs	Sram CenterLine 220/F, 200/R
Tires front	Vittoria E-Martello 29" x 2,35
Tires rear	Vittoria E-Martello 27,5" x 2,6
Wheels	Fulcrum E-Fire 700 29" - 27,5"
Handlebar	Fantic Racing Ø35 800mm Rise 20mm Black
Stem	FSA Comet Ø35 x 50mm +6°
Seatpost	Switch SW Ø30.9
Saddle	Selle Italia MODEL-X Comfort Superflow
Weight	25,3 Kg
Note	(*)
(**) Alternative fork / forcella alternativa Suntour Durolux 36	


XEF 1.9 Factory



Sizes	S	M	L
A	390	430	470
B	590	620	650
E	459	459	459
F	364	364	364
D1	1226	1256	1281
B2	414	443	469
B1	175,5	177	181
C2	606	606	606
C	105	110	120
A3	72	72	72
C4	64	64	64,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Aluminum, sizes: S - M - L
Fork	RockShox Zeb Ultimate, 190mm
Shock	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring
Chain rings	Sram Eagle 34t
Crank arm	FSA 155mm
Rear derailleur	Sram GX Eagle AXS 12v
Shift Levers	Sram GX Eagle AXS
Cassette	SunRace SilverRed 11-51
Chain	SunRace CN12A
Brakes	Braking F1RST 2 Pistons
Discs	Braking S3 Batfly 220/F, 203/R
Tires front	Vittoria E-Mazza 29" x 2,6
Tires rear	Vittoria Martello 27,5" 2 x 2,8
Wheels	MAVIC E-Deemax 29" - 27,5"
Handlebar	Fantic Racing Ø35 800mm Rise 20mm Sand
Stem	Fantic Racing Ø35 x 35mm
Seatpost	Crankbrothers HIGHLINE 7 Ø30.9
Saddle	Selle Italia Novus Boost X-CROSS Superflow
Weight	24,4 Kg
Note	(*)

XE 1.9 Race




Sizes	S	M	L
A	390	430	470
B	590	620	650
E	459	459	459
F	364	364	364
D1	1226	1256	1281
B2	414	443	469
B1	175,5	177	181
C2	606	606	606
C	105	110	120
A3	72	72	72
C4	64	64	64,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Aluminum, sizes: S - M - L
Fork (**)	Suntour Durolux 38, 190mm
Shock	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring
Chain rings	Sram Eagle 34t
Crank arm	FSA 155mm
Rear derailleur	Sram GX Eagle 12V
Shift Levers	Sram GX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram NX Eagle
Brakes	Magura MT7, 4 Pistons
Discs	Braking S3 Batfly 220/F, 203/R
Tires front	Vittoria E-Mazza 29" x 2,6
Tires rear	Vittoria Martello 27,5" 2 x 2,8
Wheels	MAVIC E-Deemax 29"- 27,5"
Handlebar	Fantic Racing Ø35 800mm Rise 15mm Sand
Stem	FSA Gradient Ø35 x 35mm +6°
Seatpost	Crankbrothers HIGHLINE 7 Ø30.9
Saddle	Selle Italia Novus Boost Evo Superflow
Weight	24,9 Kg
Note	(*)

(**) Alternative fork / forcella alternativa RockShox Zeb Select 190mm

XE 1.9 Fantic Racing




Sizes	S	M	L
A	390	430	470
B	590	620	650
E	459	459	459
F	364	364	364
D1	1226	1256	1281
B2	414	443	469
B1	175,5	177	181
C2	606	606	606
C	105	110	120
A3	72	72	72
C4	64	64	64,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose Remote
Frame & size	Aluminum, sizes: S - M - L
Fork	EXT Racing Shox ERA V2 for FANTIC RACING, 190mm
Shock	EXT Racing Shox E-STORIA for Fantic Racing, 205x65mm
Chain rings	Sram Eagle 34t
Crank arm	FSA 155mm
Rear derailleur	Sram NX Eagle 12v
Shift Levers	Sram NX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram NX Eagle
Brakes	Magura MT7, 4 Pistons
Discs	Braking S3 Batfly 220/F, 203/R
Tires front	Vittoria E-Mazza 29" x 2.6
Tires rear	Vittoria E-Martello 27,5" x 2.8
Wheels	MAVIC E-Deemax 29"- 27.5"
Handlebar	SWITCH WHIP Ø35 780mm Rise 25mm
Stem	SWITCH TOBOGA Ø35 x 35mm +6°
Seatpost	Crankbrothers HIGHLINE 7 Ø30.9
Saddle	Selle Italia Novus Boost EVO
Weight	24,4 Kg
Note	(*)

(*) Alternative fork / forcella alternativa RockShox Zeb Select 190mm

XE 1.8 Sport




Sizes	S	M	L
A	390	430	470
B	590	620	650
E	459	459	459
F	364	364	364
D1	1226	1256	1281
B2	414	443	469
B1	175,5	177	181
C2	596	596	596
C	105	110	120
A3	72	72	72
C4	64	64	64,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Aluminum, sizes: S - M - L
Fork (**)	RockShox Domain R, 180mm
Shock	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring
Chain rings	Sram Eagle 34t
Crank arm	FSA 155mm
Rear derailleur	Sram NX Eagle 12v
Shift Levers	Sram NX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram NX Eagle
Brakes	Sram Code-R 4 Pistons
Discs	Braking S3 Batfly 220/F, 203/R
Tires front	Vittoria E-Mazza 29" x 2,6
Tires rear	Vittoria Martello 27,5" 2 x 2,8
Wheels	MAVIC E-Deemax 29"- 27,5"
Handlebar	Fantic Racing Ø35 800mm Rise 20mm Sand
Stem	FSA Comet Ø35 x 35mm +6°
Seatpost	SWITCH SW Ø30.9
Saddle	Selle Italia MODEL-X Comfort Superflow
Weight	24,9 Kg
Note	(*)

(**) Alternative fork / forcella alternativa Suntour Durolux 38

XXF 2.0 Factory




Sizes	S	M	L
A	390	430	470
B	588,5	619	649
E	458,5	458,5	458,5
F	368	370	370
D1	1226	1256	1281
B2	416	445,5	471,5
B1	172	173,5	177,5
C2	601	601	601
C	105	110	120
A3	72	72	72
C4	64	64	64,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Aluminum, sizes: S - M - L
Fork	Ohlins DH 38, 200mm
Shock	Ohlins TTX 22M, 205x65mm, 450lbf spring
Chain rings	Sram Eagle 34t
Crank arm	FSA 155mm
Rear derailleur	Sram GX Eagle 12V
Shift Levers	Sram GX Eagle
Cassette	SunRace SilverRed 11-51
Chain	SunRace CN12A
Brakes	Braking F1RST 2 Pistons
Discs	Braking S3 Batfly 220/F, 203/R
Tires front	Vittoria E-Mazza 29" x 2,6
Tires rear	Vittoria Martello 27,5" 2 x 2,8
Wheels	MAVIC E-Deemax 29" - 27,5"
Handlebar	Fantic Racing Ø35 800mm Rise 30mm -Sand
Stem	Fantic Racing Direct Ø35 x 35mm
Seatpost	Crankbrothers HIGHLINE 7 Ø30.9
Saddle	Selle Italia Novus Boost X-Cross Superflow
Weight	24,9 Kg
Note	(*)

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.


XXF 2.0 Race



Sizes	S	M	L
A	390	430	470
B	588,5	619	649
E	458,5	458,5	458,5
F	368	370	370
D1	1226	1256	1281
B2	416	445,5	471,5
B1	172	173,5	177,5
C2	601	601	601
C	105	110	120
A3	72	72	72
C4	64	64	64,5

Motor	Brose S-Mag, 90 Nm
Battery	720Wh
Display	Brose All Round
Frame & size	Aluminum, Sizes: S - M - L
Fork	RockShox Boxxer Select, 200mm
Shock	RockShox SuperDeluxe Coil Select+, 205x65mm, 450lbf spring
Chain rings	Sram Eagle 34t
Crank arm	FSA 155mm
Rear derailleur	Sram NX Eagle 12V
Shift Levers	Sram NX Eagle
Cassette	Sram SX Eagle 11-50
Chain	Sram NX Eagle
Brakes	Magura MT7, 4 Pistons
Discs	Braking S3 Batfly 220/F, 203/R
Tires front	Vittoria E-Mazza 29" x 2,6
Tires rear	Vittoria Martello 27,5" 2 x 2,8
Wheels	MAVIC E-Deemax 29"- 27,5"
Handlebar	Fantic Racing Ø35 800mm Rise 30mm Sand
Stem	FSA Gradient Direct Ø35 x 45mm
Seatpost	SWITCH SW Ø30.9
Saddle	Selle Italia Model-X Comfort Superflow
Weight	25,4 Kg
Note	(*)


Integra XF2



Sizes	S	M	L
A	410	450	490
B	584	605	630
E	490	490	490
H	324	324	324
H1	56	56	56
L	1175	1179	1187
R	406	418	422
R1	175	187,5	207,5
S	610	613	638
S1	120	120	145
a	74°	73°	72°
b	68°	68,5°	69°

Motor	Brose T-Alu, 70 Nm
Battery	630Wh
Display	Brose All Round
Frame & size	Aluminium frame, Sizes: S - M - L
Fork	RockShox Bluto RL, 120mm
Chain rings	Sram Eagle 34t
Crank arm	Miranda 165mm
Groupset	Sram SX Eagle 12v
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram Level, 2Pistons
Discs	Sram Centerline 200/F, 180/R
Tires	Schwalbe JUMBO-JIM, 26 X 4"
Wheels	Gipiemme 26"
Handlebar	FSA Ø31,8 -760m- Rise 15mm
Stem	FSA Ø31,8 x 60mm ±6°
Seatpost	RigId FSA Ø30.9
Saddle	Selle Italia Model X Comfort Superflow
Weight	25,5 kg
Note	(*)

Fat Sport



Sizes	S	M	L
A	410	450	490
B	584	605	630
E	490	490	490
H	324	324	324
H1	56	56	56
L	1175	1179	1187
R	406	418	422
R1	175	187,5	207,5
S	610	613	638
S1	120	120	145
a	74°	73°	72°
b	68°	68,5°	69°

Motor	Brose T-Alu, 70 Nm
Battery	630Wh
Display	Brose All Round
Frame & size	Aluminium frame, sizes: S - M - L
Fork	RockShox Bluto RL, 120mm
Chain rings	Sram Eagle 34t
Crank arm	Miranda 165mm
Groupset	Sram SX Eagle 12v
Cassette	Sram SX Eagle 11-50
Chain	Sram SX Eagle
Brakes	Sram Level, 2Pistons
Discs	Sram Centerline 200/F, 180/R
Tires	Schwalbe JUMBO-JIM, 26 X 4"
Wheels	Gipiemme 26"
Handlebar	FSA Ø31,8 -760m- Rise 15mm
Stem	FSA Ø31,8 x 60mm ±6°
Seatpost	Rigid FSA Ø30.9
Saddle	Selle Italia Model X Comfort Superflow
Weight	25,5 kg
Note	(*)

Living



Sizes	S	M	L
A	430	460	495
A2	72	72	72
B	575	600	620
B1	204	210	216
Reach	371	385	404
Stack	628	645	665
W	28"	28"	28"
C	130	150	170
C1	2	2	2
C2	490	490	490
C3 Trail	92,6	92,6	92,6
C4	69	69	69
R	44	44	44
D	638	259	685
D1	1102	1126	1149
D2	1830	1854	1877
E	471	471	471
E1	467	467	467
F	301	301	301
F1	63	63	63
Lever	170	170	170
Stem	70	70	70
Bar	700	700	700
Regg.	350	350	350

Motor	Yamaha PW S2, 75Nm
Battery	630Wh
Display	Display A Yamaha / Display B Yamaha (depending on availability)
Frame & size	Aluminium frame, sizes: S - M - L
Fork	Suntour XOR34, travel 100mm
Crank arm	FSA
Groupset	SRAM SX Eagle
Cassette	SRAM SX, 12V, 11-50
Chain	SRAM SX
Front brake	Promax Solve ST 925 hydraulic 2P, 180mm Discs
Rear brake	Promax Solve ST 925 hydraulic 2P, 180mm Discs
Tires	Vittoria E-Randonneur 50mm
Wheels	GBC 29"
Front hub	GBC, 110mm Boost
Rear hub	GBC, 148mm Boost
Handlebar	GBC 700mm, Rise 20mm
Stem	GBC 70mm
Saddle	Selle Italia S5 Superflow
Seatpost	Switch Suspended Ø30.9
Grips	Urban Gist
Pedals	Aluminium
Front light	Busch Muller
Rear light	Trelock
Locker	ABUS
Weight	26,2 kg
Note	(*)

Living Easy



Sizes	S-M	L-XL
A	430	495
A2	72	72
B	575	595
B1	210	216
Reach	365	379
Stack	646,5	665
W	28"	28"
C	150	170
C1	2	2
C2	490	490
C3 Trail	92,6	92,6
C4	69	69
R	44	44
D	639	660
D1	1103	1124
D2	1831	1852
E	471,2	471,2
E1	467	467
F	301	301
F1	63	63
Lever	170	170
Stem	70	70
Bar	700	700
Regg.	350	350

Motor	Yamaha PW S2, 75Nm
Battery	630Wh
Display	Display A Yamaha / Display B Yamaha (depending on availability)
Frame & size	Aluminium frame, sizes: S - M / L - XL
Fork	Suntour XCR34, travel 100mm
Crankarm	FSA
Groupset	SRAM SX Eagle
Cassette	SRAM SX, 12V, 11-50
Chain	SRAM SX
Front brake	Promax Solve ST 925 hydraulic 2P, 180mm Discs
Rear brake	Promax Solve ST 925 hydraulic 2P, 180mm Discs
Tires	Vittoria E-Randonneur 50mm
Rim and Spokes	GBC 29"
Front hub	GBC, 110mm Boost
Rear hub	GBC, 148mm Boost
Handlebar	GBC 700mm, Rise 20mm
Stem	GBC 70mm
Saddle	Selle Italia MAX S5 Superflow
Seatpost	Switch Suspended Ø30.9
Grips	Urban Gist
Pedals	Aluminium
Front light	Busch Muller
Rear light	Trelock
Locker	ABUS
Weight	26,6 kg
Note	(*)

Living City 12S



Sizes	S	M	L
A	430	460	500
A2	72	72	72
B	575	600	625
B1	201	201	207
Reach	374	399	418
Stack	618	618	637
W	27,5"	28"	28"
C	150	150	170
C1	2	2	2
C2	460	460	460
C3 Trail	84,15	92,2	92,2
C4	69	69	69
R	44	44	44
D	637,5	662	688
D1	1101	1126	1152,5
D2	1785	1854	1880,5
E	471,2	471,2	471,2
E1	467	467	467
F	279	301	301
F1	63	63	63
Lever	170	170	170
Stem	100	100	100
Bar	700	700	700
Regg.	350	350	350

Motor	Yamaha PW S2, 75Nm
Battery	630Wh
Display	Display B Yamaha
Frame	Aluminium frame. sizes: S-M-L
Fork	RST Volant, travel 50mm
Groupset	SRAM SX Eagle
Cassette	SRAM SX, 12V, 11-50
Chain	SRAM SX
Crankarm	FSA
Front brake	Promax Solve ST 925 hydraulic 2P, 180mm Discs
Rear brake	Promax Solve ST 925 hydraulic 2P, 180mm Discs
Tires	Vittoria E-Randonneur 50mm
Rim and Spokes	29" (M-L) - 27.5" (S)
Front hub	GBC, 100mm
Rear hub	GBC, 148mm Boost
Handlebar	700mm, Rise 41mm
Stem	GBC 100mm, reg.
Saddle	Selle Italia T3 Flow
Seatpost	GBC Suspended Ø30.9
Pedals	Aluminium
Front light	Busch Muller
Rear light	Trelock
Locker	ABUS
Weight	29,0 Kg
Note	(*)

Living City



Sizes	S	M	L
A	430	460	500
A2	72	72	72
B	575	600	625
B1	201	201	207
Reach	374	399	418
Stack	618	618	637
W	27,5"	28"	28"
C	150	150	170
C1	2	2	2
C2	460	460	460
C3 Trail	84,15	92,2	92,2
C4	69	69	69
R	44	44	44
D	637,5	662	688
D1	1101	1126	1152,5
D2	1785	1854	1880,5
E	471,2	471,2	471,2
E1	467	467	467
F	279	301	301
F1	63	63	63
Lever	170	170	170
Stem	100	100	100
Bar	700	700	700
Regg.	350	350	350

Motor	Yamaha PW S2, 75Nm
Battery	630Wh
Display	Display B Yamaha
Frame	Aluminium frame. sizes: S-M-L
Fork	RST Volant, travel 50mm
Groupset	Enviolo City
Crankarm	FSA
Front brake	Promax Solve ST 925 hydraulic 2P, 180mm Discs
Rear brake	Promax Solve ST 925 hydraulic 2P, 180mm Discs
Tires	Vittoria E-Randonneur 50mm
Rim and Spokes	29" (M-L) - 27.5" (S)
Front hub	GBC, 100mm
Rear hub	Enviolo City
Handlebar	700mm, Rise 41mm
Stem	GBC 100mm, reg.
Saddle	Selle Italia T3 Flow
Seatpost	GBC Suspended Ø30.9
Pedals	Aluminium
Front light	Busch Muller
Rear light	Trelock
Locker	ABUS
Weight	26,2 kg
Note	(*)



FMOSE
Road
Heritage



Sizes	S	M	L	XL
A	440	480	515	547
A1	122	161,5	175,6	207,5
A2	74	73,5	73	72,5
B	530,6	550	570,1	585
B1	153,1	165,7	180,4	194,2
C	114,1	139,1	169,6	194,6
C1	1,2	1,2	1,3	1,3
C2	391,6	391,8	391,6	391,6
C3	73,7	70,4	67,2	63,9
C4	391,6	391,8	391,6	391,6
D	596,4	607,2	617,9	622,22
D1	1007,8	1018,7	1032,5	1036,9
D2	1711,8	1722,67	1736,5	1740,9
E	422	422	425	425
E1	415,8	415,8	418,9	418,86
F	280	280	280	280
F1	72	72	72	72
Stack	533,8	559,3	590,19	615,9
Reach	377,6	384,3	389,7	390,8

U/I Remote	Garmin
Battery	FSA System 250 Wh
Motor	FSA HM1 Hub Motor
Bottom Bracket	Sram
Chainrings	46-33
Rear Derailleur	Sram Force AXS 12 speed
Front Derailleur	Sram Force AXS
Shift Levers	Sram Force eTap
Crankset	Sram Force
Cassette	Sram Force 12 speed 10-36
Chain	Sram Force 12-speed
Brakes	Sram Force
Wheel set	Vision Team 30
Rear hub motor wheel	Vision Team30
Tires	Vittoria Rubino Pro 700x30c
Tape	Gist
Saddle	SelleItalia SLR Superflow MNG
Stem	FSA NS SMR
SteatPost	Carbon
Handlebar	FSA Energy Comp ACR
Frame & size	Carbon S,M,L,XL
Fork	Carbon
Bottle cage	Gist Race One Kela
Range extender	FSA 250Wh

FMOSE
Road
Red



Sizes	S	M	L	XL
A	440	480	515	547
A1	122	161,5	175,6	207,5
A2	74	73,5	73	72,5
B	530,6	550	570,1	585
B1	153,1	165,7	180,4	194,2
C	114,1	139,1	169,6	194,6
C1	1,2	1,2	1,3	1,3
C2	391,6	391,8	391,6	391,6
C3	73,7	70,4	67,2	63,9
C4	391,6	391,8	391,6	391,6
D	596,4	607,2	617,9	622,22
D1	1007,8	1018,7	1032,5	1036,9
D2	1711,8	1722,67	1736,5	1740,9
E	422	422	425	425
E1	415,8	415,8	418,9	418,86
F	280	280	280	280
F1	72	72	72	72
Stack	533,8	559,3	590,19	615,9
Reach	377,6	384,3	389,7	390,8

U/I Remote	Garmin
Display	Garmin Edge Explore
Battery	FSA System 250 Wh
Motor	FSA HM1 Hub Motor
Range extender	FSA System 250 Wh
Bottom Bracket	FSA
Chainrings	46/33
Rear Derailleur	Sram Red AXS 2X12 speed
Front Derailleur	Sram Red AXS
Shift Levers	Sram Red eTap
Crankset	Sram Red 46X33T
Cassette	Sram Force XG 1270 10-36T speed
Chain	Sram Red 12-speed
Brakes	Sram Red eTap
Wheel set	Vision Metron 30, full carbon
Rear hub motor wheel	Vision Metron 40, full carbon
Tires	Vittoria Corsa Pro 700x30c
Tape	Gist
Saddle	SelleItalia SLR Superflow Carbon
Stem	FSA NS ACR
SteatPost	Aero Carbon
Handlebar	FSA K-Force Compact
Frame & size	Carbon S,M,L,XL
Fork	Carbon
Bottle cage	Gist Race One Kela

FMOSE
Road
Fsa



Sizes	S	M	L	XL
A	440	480	515	547
A1	122	161,5	175,6	207,5
A2	74	73,5	73	72,5
B	530,6	550	570,1	585
B1	153,1	165,7	180,4	194,2
C	114,1	139,1	169,6	194,6
C1	1,2	1,2	1,3	1,3
C2	391,6	391,8	391,6	391,6
C3	73,7	70,4	67,2	63,9
C4	391,6	391,8	391,6	391,6
D	596,4	607,2	617,9	622,22
D1	1007,8	1018,7	1032,5	1036,9
D2	1711,8	1722,67	1736,5	1740,9
E	422	422	425	425
E1	415,8	415,8	418,9	418,86
F	280	280	280	280
F1	72	72	72	72
Stack	533,8	559,3	590,19	615,9
Reach	377,6	384,3	389,7	390,8

U/I Remote	Garmin
Display	Garmin Edge Explore
Battery	FSA System 250 Wh
Motor	FSA HM1 Hub Moto
Range extender	FSA System 250 Wh
Bottom Bracket	FSA
Chainrings	50-34
Rear Derailleur	FSA K force WE 11speed
Front Derailleur	FSA K force WE
Shift Levers	FSA K force WE
Crankset	FSA K Force Carbon
Cassette	FSA K Force WE 11-32
Chain	FSA 11 speed
Brakes	FSA K force WE
Wheel set	Vision Metron 30, full carbon
Rear hub motor wheel	Vision Metron 40, full carbon
Tires	Vittoria Corsa Pro 700x30c
Tape	Gist
Saddle	Selle Italia Boost Superflow Carbon
SteatPost	Carbon S,M,L,XL
Handlebar	Vision Metron 5D ACR
Frame	Carbon
Fork	Carbon
Bottle cage	Gist Race One Kela

FMOSE
Road
Force



Sizes	S	M	L	XL
A	440	480	515	547
A1	122	161,5	175,6	207,5
A2	74	73,5	73	72,5
B	530,6	550	570,1	585
B1	153,1	165,7	180,4	194,2
C	114,1	139,1	169,6	194,6
C1	1,2	1,2	1,3	1,3
C2	391,6	391,8	391,6	391,6
C3	73,7	70,4	67,2	63,9
C4	391,6	391,8	391,6	391,6
D	596,4	607,2	617,9	622,22
D1	1007,8	1018,7	1032,5	1036,9
D2	1711,8	1722,67	1736,5	1740,9
E	422	422	425	425
E1	415,8	415,8	418,9	418,86
F	280	280	280	280
F1	72	72	72	72
Stack	533,8	559,3	590,19	615,9
Reach	377,6	384,3	389,7	390,8

U/I Remote	Garmin
Battery	FSA System 250 Wh
Motor	FSA HM1 Hub Motor
Bottom Bracket	Sram
Chainrings	46-33
Rear Derailleur	Sram Force AXS 12 speed
Front Derailleur	Sram Force AXS
Shift Levers	Sram Force eTap
Crankset	Sram Force
Cassette	Sram Force 12 speed 10-36
Chain	Sram Force 12-speed
Brakes	Sram Force
Wheel set	Vision Team 30
Rear hub motor wheel	Vision Team30
Tires	Vittoria Rubino Pro 700x30c
Tape	Gist
Saddle	SelleItalia SLR Superflow MNG
Stem	FSA NS SMR
SteatPost	Carbon
Handlebar	FSA Energy Comp ACR
Frame & size	Carbon S,M,L,XL
Fork	Carbon
Bottle cage	Gist Race One Kela
Range extender	FSA 250Wh

FMOSE
Road
Rival



Sizes	S	M	L	XL
A	440	480	515	547
A1	122	161,5	175,6	207,5
A2	74	73,5	73	72,5
B	530,6	550	570,1	585
B1	153,1	165,7	180,4	194,2
C	114,1	139,1	169,6	194,6
C1	1,2	1,2	1,3	1,3
C2	391,6	391,8	391,6	391,6
C3	73,7	70,4	67,2	63,9
C4	391,6	391,8	391,6	391,6
D	596,4	607,2	617,9	622,22
D1	1007,8	1018,7	1032,5	1036,9
D2	1711,8	1722,67	1736,5	1740,9
E	422	422	425	425
E1	415,8	415,8	418,9	418,86
F	280	280	280	280
F1	72	72	72	72
Stack	533,8	559,3	590,19	615,9
Reach	377,6	384,3	389,7	390,8

U/I Remote	Garmin
Charger	FSA System 250 Wh
Battery	FSA System 250 Wh
Motor	FSA HM1 Hub Motor
Bottom Bracket	Sram
Chainrings	46-33
Rear Derailleur	Sram Rival AXS 12 speed
Front Derailleur	Sram Rival AXS
Shift Levers	Sram Rival eTap
Crankset	Sram Rival AXS
Cassette	Sram Rival 12 speed 10-36
Chain	Sram Rival 12-speed
Brakes	Sram Rival
Wheel set	Vision Team 30
Rear hub motor wheel	Vision Team30
Tires	Vittoria Rubino Pro 700x30c
Tape	Gist
Saddle	SelleItalia Model X Superflow
Stem	FSA NS SMR
SteatPost	Carbon
Handlebar	FSA Omega
Frame & size	Carbon S,M,L,XL
Fork	Carbon
Bottle cage	Gist Race One Kela
Range extender	FSA 250Wh


FMOSE
Gravel
Rival



Sizes	S	M	L	XL
A	440	480	515	547
A1	122	161,5	175,6	207,5
A2	74	73,5	73	72,5
B	530,6	550	570,1	585
B1	153,1	165,7	180,4	194,2
C	114,1	139,1	169,6	194,6
C1	1,2	1,2	1,3	1,3
C2	391,6	391,8	391,6	391,6
C3	73,7	70,4	67,2	63,9
C4	391,6	391,8	391,6	391,6
D	596,4	607,2	617,9	622,22
D1	1007,8	1018,7	1032,5	1036,9
D2	1711,8	1722,67	1736,5	1740,9
E	422	422	425	425
E1	415,8	415,8	418,9	418,86
F	280	280	280	280
F1	72	72	72	72
Stack	533,8	559,3	590,19	615,9
Reach	377,6	384,3	389,7	390,8

U/I Remote	Garmin
Battery	FSA System 250 Wh
Motor	FSA HM1 Hub Motor
Bottom Bracket	Sram
Chainrings	40T
Rear Derailleur	Sram Rival AXS 12 speed
Shift Levers	Sram Rival eTap
Crankset	Sram Rival Wide
Cassette	Sram XG 1251 XPRL 12speed 10-44T
Chain	Sram Rival 12 speed
Brakes	Sram Rival
Wheel set	Vision AGX
Rear hub motor wheel	Vision AGX
Tires	Vittoria Terreno Dry 700x35c
Tape	Gist
Saddle	Selle Italia Model X Comfort Superflow
Stem	FSA Gossamer
SteatPost	Carbon
Handlebar	FSA A-Wing Pro AGX
Frame & size	Carbon S,M,L,XL
Fork	Carbon
Bottle Cage	Gist Race One Kela
Range extender	FSA 250Wh

FMOSE
Gravel
Force



Sizes	S	M	L	XL
A	440	480	515	547
A1	122	161,5	175,6	207,5
A2	74	73,5	73	72,5
B	530,6	550	570,1	585
B1	153,1	165,7	180,4	194,2
C	114,1	139,1	169,6	194,6
C1	1,2	1,2	1,3	1,3
C2	391,6	391,8	391,6	391,6
C3	73,7	70,4	67,2	63,9
C4	391,6	391,8	391,6	391,6
D	596,4	607,2	617,9	622,22
D1	1007,8	1018,7	1032,5	1036,9
D2	1711,8	1722,67	1736,5	1740,9
E	422	422	425	425
E1	415,8	415,8	418,9	418,86
F	280	280	280	280
F1	72	72	72	72
Stack	533,8	559,3	590,19	615,9
Reach	377,6	384,3	389,7	390,8

U/I Remote	Garmin
Battery	FSA System 250 Wh
Motor	FSA HM1 Hub Motor
Bottom Bracket	Sram
Chainrings	40T
Rear Derailleur	Sram Force AXS 12 speed XPLR
Shift Levers	Sram Force eTap
Crankset	Sram Force
Cassette	Sram XG 1271 XPLR 10-44
Chain	Sram Force 12 speed
Brakes	Sram Force
Wheel set	Vision AGX
Rear hub motor wheel	Vision AGX
Tires	Vittoria Terreno Dry 700x35c
Tape	Gist
Saddle	SelleItalia Novus Boost EVO
Stem	FSA AGX NS SMR
SteatPost	Carbon
Handlebar	FSA A-Wing Pro AGX
Frame & size	Carbon S,M,L,XL
Fork	Carbon
Bottle Cage	Gist Race One Kela
Range extender	FSA 250Wh

FMOSE
Gravel
Apex



Sizes	S	M	L	XL
A	440	480	515	547
A1	122	161,5	175,6	207,5
A2	74	73,5	73	72,5
B	530,6	550	570,1	585
B1	153,1	165,7	180,4	194,2
C	114,1	139,1	169,6	194,6
C1	1,2	1,2	1,3	1,3
C2	391,6	391,8	391,6	391,6
C3	73,7	70,4	67,2	63,9
C4	391,6	391,8	391,6	391,6
D	596,4	607,2	617,9	622,22
D1	1007,8	1018,7	1032,5	1036,9
D2	1711,8	1722,67	1736,5	1740,9
E	422	422	425	425
E1	415,8	415,8	418,9	418,86
F	280	280	280	280
F1	72	72	72	72
Stack	533,8	559,3	590,19	615,9
Reach	377,6	384,3	389,7	390,8

U/I Remote	Garmin
Battery	FSA System 250 Wh
Motor	FSA HM1 Hub Motor
Bottom Bracket	Sram Apex
Chainrings	40T
Rear Derailleur	Sram Apex 1X12 speed
Shift Levers	Sram Apex
Crankset	Sram Apex 40T
Cassette	Sram Rival XG 1251 10-44T
Chain	Sram Rival 12 speed
Brakes	Sram Apex
Wheel set	Vision AGX
Rear hub motor wheel	Vision AGX
Tires	Vittoria Terreno Dry 700x35c
Tape	Gist
Saddle	Selle Italia Model X Comfort Superflow
Stem	FSA Gossamer
SteatPost	Carbon
Handlebar	FSA A-Wing Pro AGX
Frame & size	Carbon S,M,L,XL
Fork	Carbon
Bottle Cage	Gist Race One Kela
Range extender	FSA 250Wh

FANTIC



@fanticbikes



Fantic Bikes



Fantic Bikes



Fantic Motor



@fanticmotor_official



F MOSER

**Your road,
your choice.**



@FMoserbikes



FMoserbikes



fmoserbikes.com

fantic.com



**We design,
engineer
and assemble
high-performance
electric bikes.**

Via Tarantelli, 7
31030 Dosson di Casier (TV) **Italy**
info@fanticmotor.it
fantic.com
fmoserbikes.com